



VERITAS

Marine & Offshore

Certificate number: 42033/B0 BV File number: ACM 135/2756 Product code: 2130H

This certificate is not valid when presented without the full attached schedule composed of 7 sections

www.veristar.com

TYPE APPROVAL CERTIFICATE

This certificate is issued to WALTER STAUFFENBERG GmbH & CO. KG

Werdohl - GERMANY

for the type of product

MECHANICAL JOINTS - COMPRESSION COUPLINGS - SCREW TYPE

PIPE COUPLINGS, BITE AND COMPRESSION Type Series LL/L/S


Requirements:

BUREAU VERITAS Rules for the Classification of Steel Ships BUREAU VERITAS Rules for the Classification of Offshore Units BUREAU VERITAS Rules for the Classification of Naval Ships BUREAU VERITAS Rules for the Classification of Yachts

This certificate is issued to attest that Bureau Veritas Marine & Offshore did undertake the relevant approval procedures for the product identified above which was found to comply with the relevant requirements mentioned above.

This certificate will expire on: 25 Aug 2025

For Bureau Veritas Marine & Offshore, At BV HAMBURG, on 25 Aug 2020, Adama Diene



This certificate remains valid until the date stated above, unless cancelled or revoked, provided the conditions indicated in the subsequent page(s) are complied with and the product remains satisfactory in service. This certificate will not be valid if the applicant makes any changes or modifications to the approved product, which have not been notified to, and agreed in writing with Bureau Veritas Marine & Offshore. Should the specified regulations or standards be amended during the validity of this certificate, the product(s) is/are to be re-approved prior to it/they being placed on board vessels to which the amended regulations or standards apply. This certificate is issued within the scope of the General Conditions of Bureau Veritas Marine & Offshore available on the internet site www.veristar.com. Any Person not a party to the contract pursuant to which this document is delivered may not assert a claim against Bureau Veritas Marine & Offshore for any liability arising out of errors or omissions which may be contained in said document, or for errors of judgement, fault or negligence committed by personnel of the Society or of its Agents in establishment or issuance of this document, and in connection with any activities for which it may provide.

The electronic version is available at: http://www.veristarnb.com/veristarnb/jsp/viewPublicPdfTypec.jsp?id=fxatzuzyio BV Mod. Ad.E 530 June 2017 This certificate consists of 3 page(s)

THE SCHEDULE OF APPROVAL

<u>1. PRODUCT DESCRIPTION</u>

Pipe Couplings Type FI-GE, FI-WE, FI-TE, FI-LE, FI-G, FI-W, FI-T, FI-K, FI-GS, FI-WS, FI-ES, FI-AS, FI-WAS, FI-SN, FI-GA, FI-MA, FI-EMAD, FI-RSW, FI-RST, FI-EGED, FI-SNV, FI-REDSD, FI-EWD, FI-ETD, FI-ELD, FI-EGE, FI-REDS, FI-EW, FI-ET and FI-EL

1.1 Design:

Steel pipe couplings based on screwed connections according to DIN 2353, ISO 8434 and DIN 3861 (24° cone).

1.2 Technical data:

According to the manufacturer's catalogue.

Series	LL	L			S		
Tube OD [mm]	4 - 8	6 – 10	12 - 18	22 - 42	6 – 10	12 – 16	20 - 38
Nominal Pressure PN [bar]	100	500	400	250	800	600	400

1.3 Temperature range depending on the Sealing ring material:

FKM/FPM	-25 to 200 °C
NBR	-35 to 100 °C

2. DOCUMENTS AND DRAWINGS

- STAUFF connect product catalogue - English - 9910000422 - 08/2019.

- Test reports

3. TEST REPORTS

- 3.1 Tests carried out at MPA NRW (Dortmund/GERMANY), Test Report No. 12 0016 0 95:
 - Impulse pressure test / vibration test
 - Leakage test
 - Vacuum test
 - Slug test
- 3.2 Tests carried out at SZMF (Duisburg/GERMANY), Test Report No. F608012:
 - Impulse pressure test / vibration test
 - Burst pressure test
 - Vacuum test

4. APPLICATION / LIMITATION

- 4.1 Pipe couplings intended to be used on hydraulic systems on board ships and offshore units.
- 4.2 Application and installation of the pipe couplings are to be in accordance with the manufacturer's specifications and instructions, and the Society's rules requirements.
- 4.3 The pipe couplings are to be at any time accessible.
- 4.4 Pipe couplings with tapered threads end connections are not to be used for liquid fuel or oil circuits in neither engine rooms nor any place containing an ignition source unless otherwise suitably screened at the Society's Surveyor satisfaction.
- 4.5 The nature of the used materials is to be suitable for the intended services.
- 4.6 For bulkhead unions, the requirements given in BUREAU VERITAS Rules have to be complied with.

- 4.7 When soft seals are used for bulkhead unions, it must be ensured that water, oil or fire cannot penetrate through the watertight bulkheads or decks.
- 4.8 Threaded type may not be used on watertight bulkheads.

5. PRODUCTION SURVEY REQUIREMENTS

- 5.1 The products are to be supplied by **Walter Stauffenberg GmbH & Co. KG** in compliance with the type described in this certificate.
- 5.2 This type of product is within the category HBV of BUREAU VERITAS Rule Note NR320 and as such does not require a BUREAU VERITAS product certificate.
- 5.3 Walter Stauffenberg GmbH & Co. KG has to make the necessary arrangements to have its works recognised by Bureau Veritas in compliance with the requirements of NR320 for HBV products.
- 5.4 For information, Walter Stauffenberg GmbH & Co. KG has declared to BUREAU VERITAS the following production site:
 We have Stauffenberg CrabH & Co. KG. Weighebb (CEDMANN)

Walter Stauffenberg GmbH & Co. KG, Werdohl / GERMANY

6. MARKING OF PRODUCT

Each pipe coupling is to be clearly identified according to the manufacturer's instructions:

- Manufacturer's name or logo
 - Model
 - Size

7. OTHERS

- 7.1 It is **Walter Stauffenberg GmbH & Co. KG's** responsibility to inform shipbuilders or their sub-contractors of the proper methods of fitting, use and general maintenance of the approved equipment and the conditions of this approval.
- 7.2 This Certificate supersedes the Type Approval Certificate N° 42033/A0 BV issued on 10 August 2015 by the Society.

*** END OF CERTIFICATE ***